



Opus IR

Infrared Heater

The Ecostrad Opus IR Infrared Panels blends energy-efficient heating with luxury aesthetics, easily complementing any interior, no matter where it's installed. Its slimline frameless body gives it a modern, minimalist appeal that lends it well to both commercial and domestic applications – a versatile solution for a wide range of properties.




Programmable
Remote



Frameless
Design



Wall & Ceiling
Models Available



Just 25mm
Deep



Energy Efficient
Far Infrared




5 Year
Warranty



- Comfortable Far Infrared Heat
- Programmable Remote Included
- Digital Thermostat Accurate to 0.5°C
- Elegant Frameless Design
- Recyclable Aluminium Housing
- Insulated for Increased Efficiency
- Quick DIY Installation
- Slimline 25mm Deep Body
- In-built Overheat Protection

Technical Details

Materials	Frameless aluminium panel. Carbon crystal film element.
Components	Remote control supplied with every heater. Built-in receiver on reverse of panel.
Colours	White (RAL 9003).
Cable	1.9m with fitted plug.
Installation	Models for wall or ceiling mounting are available. Wall models have a higher wattage and must not be ceiling mounted. It is possible to wall mount ceiling models, however output will be reduced.
Fixings	Wall mounting fixtures are included with all panels. Ceiling mounting fixings for fixed or suspended fitting are available as an optional extra. Suitably-sized ceiling panels can also be fitted into a ceiling grid. This does not require additional fixings.
Voltage	220 - 240V, 50Hz.
Protection	IP54, Class I.
Warranty	5 years on panel body, 1 year for built-in thermostat and accessories.
Certifications	

Opus IR Models Available

Size	O606-IR	O706-IR	O1006-IR	O1207-IR	O1209-IR	O606-IRC	O706-IRC	O1006-IRC	O1207-IRC	O1209-IRC
SKU	12501996	12501997	12501998	12501999	12502000	12502001	12502002	12502003	12502004	12502005
Model	Wall	Wall	Wall	Wall	Wall	Ceiling	Ceiling	Ceiling	Ceiling	Ceiling
Colour	White	White	White	White	White	White	White	White	White	White
Wattage (w)	350	450	580	900	1100	270	320	450	700	800
Width (mm)	595	705	1005	1205	1205	595	705	1005	1205	1205
Height (mm)	595	605	605	755	905	595	605	605	755	905
Depth (mm)	25	25	25	25	25	25	25	25	25	25
Fitted Depth (mm)	45	45	45	45	45	32	32	32	32	32
Product Weight (kg)	5.7	6.4	8.6	12.8	15.9	5.7	6.4	8.6	12.8	15.9
Room Size - Max (m ²)*	7	9	11	18	22	5	6	9	14	16
Room Size - Min (m ²)*	4	5	6	9	11	3	3	5	7	8

* Please note - stated heating areas are approximate, based on usage of the heater at full temperature capacity. If the internal temperature is set at a lower level, effective heating areas will be reduced.

Ceiling Mounting Kits

Size	ECMK	ESMK
SKU	12502016	12502017
Fitting	Fixed	Suspended
Weight (kg)	1.17	1.17
Components	4 x Brackets, 4 x Screws, 4 x Wall Plugs	4 x Panel Caps, 4 x Wire Caps, 4 x Ceiling Lock Screws, 4 x Ceiling Lock Heads, 4 x Long Screws, 4 x Short Screws, 4 x Expansion Plugs, 4 x Suspension Wires